




WATER CONSERVATION THROUGH INNOVATION

Technology and Product Line Catalog



MICRO-CAM TECHNOLOGY
It Just Works.

Touch-Free with Reliability

How to use this Interactive Document



This document discusses our company's background, proprietary patented technology, and provides an in-depth description of the unique products we proudly offer.

This is an interactive file. Therefore, you can easily access full specification information about any product by simply clicking on the corresponding model number on each product page.

A Model/Parts Index is included in the back of this document for your reference.




Table of Contents



<u>About AMTC</u> -----	<u>3</u>
<u>Sensor Operated Faucet Lines</u> -----	<u>5</u>
<u>Sensor Operated Faucet Technology</u> -----	<u>6</u>
<u>Sensor Operated Faucet Models</u> -----	<u>7</u>
<u>Sensor Operated Faucet Accessories</u> -----	<u>8</u>
<u>Sensor Operated Soap Dispensers</u> -----	<u>9</u>
<u>Sensor Operated Hand Sanitizer Dispensers</u> -----	<u>10</u>
<u>Manual Flushometers</u> -----	<u>11</u>
<u>Water Saving Manual Flush Handles</u> -----	<u>12</u>
<u>Sensor Operated Flush Valve Technology</u> -----	<u>13</u>
<u>Sensor Operated Flush Valve Retrofit/Conversion Kits</u> -----	<u>14</u>
<u>Sensor Operated Flush Valve Complete Flushometers</u> -----	<u>15</u>
<u>Water Closet (Toilet) & Urinal Bowls</u> -----	<u>16</u>
<u>Water Closet (Toilet) & Urinal Manual Flush Valve Systems</u> -----	<u>16</u>
<u>Water Closet (Toilet) & Urinal Top Mount Sensor Flush Valve Systems</u> -----	<u>17</u>
<u>Water Closet (Toilet) & Urinal Side Mount Sensor Flush Valve Systems</u> -----	<u>18</u>
<u>Water Closet (Toilet) & Urinal Concealed Sensor Flush Valve Systems</u> -----	<u>19</u>
<u>Model/Parts Index</u> -----	<u>20</u>



World class product portfolio with the most innovative and best performing equipment

- AMTC is the leading innovative designer and manufacturer of high quality, reliable, and cost-effective washroom automation systems and water saving devices for the commercial washroom.
- AMTC's Patented Micro-Cam Technology for automatic sensor flush valves and faucets is the industry's most innovative and best performing technology.
- AMTC has been granted 30 U.S. and several International patents pertaining to washroom automation and water conservation products.
- AMTC's award winning products are easy to install and maintain, have a quick pay-back in water savings, and deliver on their promised performance.

Why are AMTC products the most innovative and best performing in the industry?



- AMTC’s sensor flush valves and sensor faucets use proprietary Micro-Cam Technology therefore eliminating the need for solenoids – the most common point of failure in competing products.
- AMTC’s HYBRIDFLUSH® top mount and side mount sensor flush valves have a true mechanical back-up - will flush when batteries are drained.
- AMTC’s proprietary HYBRIDFLUSH® side mount flusher is effectively an “automatic flush handle”, it does not interfere with the operation of the flushometer – a device that has been in use for over 100 years.
- AMTC’s side mount flusher technology is fully programmable, leading to the development of the Automatic Janitor and Flush Genie® for urinals– products specifically designed for high traffic applications such as schools and arenas.
- AMTC’s FIXEDFLO® sensor faucet system is the first High-Efficiency Faucet (HEF) system of its kind. The water flow rate is controlled internally (cannot be altered with or without an aerator due to its tamper proof mechanism).
- AMTC’s HEALTHFLO® sensor faucet system is specifically designed for the healthcare environment. They are designed and engineered to limit cross contamination and the growth of pathogens.
- AMTC’s products save water and provide a significant return on investment.
- AMTC’s sensor products are the best available on the market. They are designed and engineered to last a lifetime.

Notable Customers:

Brookfield Properties	Irvine Company	AMC Theatres	Dodgers Stadium	Crypto.com Arena	Universal Studios Hollywood
Federal Government	State Agencies	Local Municipalities	United States Military	School Districts & Universities	



HYBRIDFLO®



- Engineered with AMTC's cutting-edge Micro-Cam Technology and are made of high-grade, low lead compliant solid brass, rewarding you with the rarest of experiences in **beauty, performance, and reliability**.
- Available in various flow rates.
- Ideal for all facilities.



FIXEDFLO® (FF)



- The first and only High-Efficiency Faucet (HEF) system of its kind.
- Designed specifically for facilities where water conservation is a priority. This faucet system is programmed to stream water at a **preset flow rate that cannot be externally altered**, even by the use of an aerator.
- Available in 0.35 and 0.5 gpm flow rates.
- Designed for water savings.



HEALTHFLO® (HF)



- Engineered with **anti-bacterial components** and designed for healthcare environments.
- Strict healthcare compliance.
- Incorporates AMTC's cutting-edge Micro-Cam Technology and are made of high-grade, low lead compliant solid brass and surgical stainless steel, rewarding you with the rarest of experiences in beauty, performance, and reliability.

Sensor Faucets – Unique Features

- Multiple Power Sources (Hybrid Design)
- Reliable Micro-Cam Technology
- Advanced Flow Pin Technology
- First & Only High Efficiency Faucet (HEF) in the Market for Ultimate Water Savings
- More Hygienic Environment
- Low Lead Compliant
- 5-Year Warranty



AMTC's Patented Micro-Cam Technology is also the industry's most innovative and best performing faucet technology

Motor

Tested over 5 million cycles. Dry operation assures durability and long life.

Patented Micro-Cam Technology


All-brass gear mechanism proven to last longer than the traditional wet solenoid mechanism.

Patented Flow Pin

More reliable than a traditional diaphragm system. Designed to work under harsh water conditions.

Patented Ball Relief Valve (BRV®)

Innovative design triggers faucet with minimal parts and complexity.



Sensor Faucets - Flow Pin Technology vs. Diaphragm

Competitors' Diaphragm Technology vs. AMTC's Patented Flow Pin Technology

Competitors' Faucet Diaphragm Technology



- ✗ Wear and tear of rubber material in diaphragm leads to failure
- ✗ [Diaphragms may be conducive to bacteria growth \(surface area has grooves where bacteria can grow\)](#)
- ✗ Failure is expensive
- ✗ Costly replacement needed

AMTC's Patented Faucet Flow Pin Technology



- ✓ Durable stainless steel/copper material design provides durability and long life
- ✓ Stainless steel/copper material is not conducive to bacteria growth (copper has antibacterial properties)
- ✓ Successfully tested over 5 million cycles
- ✓ No replacement needed/5 Year Warranty

Sensor Faucets - Models



[AEF-300](#)
[AEF300\(FF\)](#)



[AEF-301](#)
[AEF-301\(FF\)](#)



[AEF-306](#)
[AEF-306\(FF\)](#)



[AEF-308](#)



[AEF-302](#)
[AEF-302\(HF\)](#)



[AEF-303](#)
[AEF-303\(HF\)](#)



[AEF-304](#)
[AEF-304\(FF\)](#)



[AEF-305T](#)
[AEF-305T\(FF\)](#)



[AEF-300T](#)
[AEF-300T\(FF\)](#)



[AEF-302T](#)
[AEF-302T\(FF\)](#)



[AEF-304T](#)
[AEF-304T\(FF\)](#)



[AEF-320](#)
[AEF-320\(HF\)](#)



[AEF-321](#)
[AEF-321\(HF\)](#)



[AEF-322](#)
[AEF-322\(HF\)](#)



[AEF-323](#)
[AEF-323\(HF\)](#)


Sensor Faucets - Accessories




Alternate Power Options



HG01
Hydro-Powered Electric Generator



AD01
AC Power Plug-in Adapter
For Faucets Only



AD01-3
AC Power Plug-in Adapter
With Extension for up to 4 Faucets

Water Mixing Options



MV
Mechanical Mixing Valve



TMV
Thermostatic Mixing Valve


Cover Plate Options




CP4 Cover Plate for 4" Center Set (6.25" Long)
CP8 Cover Plate for 8" Center Set (10.25" Long)
CP8-1 Cover Plate for 8" Center Set (12.25" Extra Long)

Sensor Soap Dispensers - Accessories

Alternate Power Options



AD05
AC Power Plug-in Adapter
For Sensor Soap Dispensers Only



AD05-2
AC Power Plug-in Adapter
With Extension for 2 Devices
(For Sensor Soap Dispensers and/or Faucets)

Sensor Soap Dispensers - Models



LIQUIDFLO™

Automatic Liquid Soap Dispenser System



ASD-400
Counter Mount Automatic Liquid Soap Dispenser

ASD-400EL
Counter Mount Automatic Liquid Soap Dispenser
w/Extra Long Spout



SYSTEM BENEFITS:

- Solid brass spout designed to withstand vandalism
- Non-proprietary universal refillable liquid soap bottle
- Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.
- Dispenses economical non-proprietary liquid soap refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.
- Ideal counter mount system dispenses liquid (lotion) soap
- Easy to install and maintain
- Battery operated or AC power options

FOAMFLO®

Automatic Foam Soap Dispenser System



ASD-500
Counter Mount Automatic Foam Soap Dispenser

ASD-500EL
Counter Mount Automatic Foam Soap Dispenser
w/Extra Long Spout



SYSTEM BENEFITS:

- Solid brass spout designed to withstand vandalism
- Non-proprietary universal refillable foam soap bottle
- Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.
- Dispenses economical non-proprietary foam soap refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.
- Ideal counter mount system dispenses rich foam soap
- Easy to install and maintain
- Battery operated or AC power options

Sensor Soap Dispensers - FOAMFLO® Foaming Hand Soap



FOAMFLO® Bulk Foam Soap

Picture	Item#	Description
	FR500CT-4	Foaming Hand Soap – Citrus Fragrance (Case includes 4-One Gallon Bottles)
	FR500FF-4	Foaming Hand Soap – Fragrance & Dye Free (Case includes 4-One Gallon Bottles)
	FR500FL-4	Foaming Hand Soap – Floral Fragrance (Case includes 4-One Gallon Bottles)
	FR500LL-4	Foaming Hand Soap – Lilac Fragrance (Case includes 4-One Gallon Bottles)
	FR500LV-4	Foaming Hand Soap – Lavender Fragrance (Case includes 4-One Gallon Bottles)
	FR500TP-4	Foaming Hand Soap – Tropical Fragrance (Case includes 4-One Gallon Bottles)

HY-GENIE™ LIQUID

Automatic Liquid Hand Sanitizer Dispenser System



[ASD-600](#)

Counter Mount Automatic Liquid Sanitizer Dispenser

[ASD-600EL](#)

Counter Mount Automatic Liquid Sanitizer Dispenser w/Extra Long Spout



SYSTEM BENEFITS:

- Solid brass spout designed to withstand vandalism
- Non-proprietary universal refillable liquid sanitizer bottle
- Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.
- Dispenses economical non-proprietary liquid sanitizer refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.
- Ideal counter mount system dispenses liquid (gel) sanitizer
- Easy to install and maintain
- Battery operated or AC power options

HY-GENIE™ FOAM

Automatic Foam Hand Sanitizer Dispenser System



[ASD-700](#)

Counter Mount Automatic Foam Sanitizer Dispenser

[ASD-700EL](#)

Counter Mount Automatic Foam Sanitizer Dispenser w/Extra Long Spout



SYSTEM BENEFITS:

- Solid brass spout designed to withstand vandalism
- Non-proprietary universal refillable foam sanitizer bottle
- Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.
- Dispenses economical non-proprietary foam sanitizer refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.
- Ideal counter mount system dispenses rich foam sanitizer
- Easy to install and maintain
- Battery operated or AC power options



Urinal Flushometers



- Exposed Manual Flushometer for Urinals
- Highly Durable Design
- Solid Brass Construction
- Proprietary High-Performance Silicone Diaphragm
- All Components Interchangeable with Sloan® and Zurn® Repair Parts
- 5-Year Warranty

Urinal Models Available:

- [MF-700-U18](#) - 0.125 gpf (0.5 Lpf)
- [MF-700-U05](#) - 0.5 gpf (1.9 Lpf)
- [MF-700-U10](#) - 1.0 gpf (3.8 Lpf)



Toilet Flushometers



- Exposed Manual Flushometer for Water Closets (Toilets)
- Highly Durable Design
- Solid Brass Construction
- Proprietary High-Performance Silicone Diaphragm
- All Components Interchangeable with Sloan® and Zurn® Repair Parts
- 5-Year Warranty

Toilet Models Available:

- [MF-700-T11](#) - 1.1 gpf (4.2 Lpf)
- [MF-700-T12](#) - 1.28 gpf (4.8 Lpf)
- [MF-700-T16](#) - 1.6 gpf (6.0 Lpf)



Dual-Flush Toilet Flushometers



- Exposed **Dual-Flush** Manual Flushometer for Water Closets (Toilets)
- Smart Solution for Saving Water
- Push Handle **DOWN** for **Liquid** Waste and Pull Handle **UP** for **Solid** Waste
- **Up To 30% Water Savings**
- No Significant Behavioral Change is Necessary
- Proprietary High-Performance Silicone Diaphragm
- 5-Year Warranty

Dual-Flush Toilet Models Available:

- [MF-700-DFT16](#) - 1.6/1.1 gpf (6.0/4.2 Lpf)

Manual & Sensor Flush Valves - Silicone Diaphragm Technology

Competitors' Rubber Diaphragm Technology vs. AMTC's High Performance Silicone Diaphragm Technology

Competitors' Permex® Rubber Diaphragm Technology



*Permex is a registered trademark of Sloan® Valve Company

- ✗ Permex® Rubber
- ✗ NOT Chloramine Resistant
- ✗ Deteriorates Rapidly/Requires Frequent Replacement

AMTC's High Performance Silicone Diaphragm Technology



- ✓ Silicone Rubber
- ✓ Chloramine Resistant
- ✓ Proven to Outlast Natural Rubber Diaphragms/Last Significantly Longer Than Rubber

Dual-Flush Manual Flush Handle for Toilets



Save Water Immediately



Model:
[ADH-100](#)



Benefits:

- **Green Solution** - Reduces Water Usage by Approx. 30%
- **No Behavioral Change Required** by Users to Start Saving Water
- Low Cost Solution to Achieve High Efficiency Standards – May Earn LEED Points
- Promotes Eco Friendly Image of Facility
- Eliminates Costly Replacement of Porcelain Fixtures
- Easily Converts Most Commercial Water Closets (Toilets) into High Efficiency Fixtures
- No Costly Professional Installation Required
- Excellent Return on Investment (ROI)

Features:

- Retrofit Handle for Water Closet (Toilets)
- Unique Patented Internal Mechanism
- Push Handle DOWN for Reduced Flush
- Pull Handle UP for Full Flush
- Universal Usage Instructions on Handle



The competition offers a Dual-flush handle that yields water savings in the opposite direction. UP for water savings = Wrong Way!

Half-Flush Manual Flush Handle for Urinals

Save Water Immediately



Model:
[ADH-101](#)



Benefits:

- **Green Solution** - Reduces Water Usage by Approx. 50%
- **No Behavioral Change Required** by Users to Start Saving Water
- Low Cost Solution to Achieve High Efficiency Standards – May Earn LEED Points
- Promotes Eco Friendly Image of Facility
- Eliminates Costly Replacement of Porcelain Fixtures
- Easily Converts Most Commercial Urinals into High Efficiency Fixtures
- No Costly Professional Installation Required
- Excellent Return on Investment (ROI)

Features:

- Retrofit Handle for Urinals
- Unique Patented Internal Mechanism
- Push Handle DOWN for Reduced Flush
- Universal Usage Instructions on Handle



The competition does not offer this product!

AMTC's Patented Micro-Cam Technology is the industry's most innovative and best performing automatic flusher technology

Motor

Tested over 5 million cycles. Dry operation assures durability and long life.

Patented Micro-Cam Technology

All-brass gear mechanism proven to last longer than the traditional wet solenoid mechanism.

Proprietary Silicone Diaphragm

Chloramine resistant. Designed to outlast traditional rubber diaphragms in harsh water conditions, including recycled water or grey water systems.

Patented Ball Relief Valve (BRV®)



[Click Here to See How it Works!](#)

Innovative design allows for independent automatic and manual flush triggers.



Sensor Flush Valves - Micro-Cam Technology vs. Solenoid

AMTC's Micro-Cam technology is superior to Solenoid technology

Solenoid Technology



AMTC's Micro-Cam Technology



- ✗ Electro-magnetic component in contact with water leads to corrosion
- ✗ Corrosion leads to failure
- ✗ Failure is expensive
- ✗ Fails quickly in grey water systems
- ✗ Costly replacement needed

- ✓ Brass/stainless steel motor mechanism
- ✓ Dry operation/no electro-magnetic components prevents corrosion
- ✓ Successfully tested over 5 million cycles
- ✓ Works well in grey water systems
- ✓ No replacement needed/5 Year Warranty

Top Mount Models

- Retrofit Conversion Kits
- Quiet Operation
- Battery and Hardwired Models
- Mechanical Push Button/Handle
- Water Closet (Toilet) and Urinal Models
- Dual-Flush Model for Water Closet (Toilet)

Battery Powered
Sensor Activated
HYBRIDFLUSH®

Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®



[AEF-801-RT](#)

[AEF-801-RU](#)

[AEF-801-HWRT](#)

[AEF-801-HWRU](#)

RT = Toilet RU = Urinal



Side Mount Models

- Retrofit Conversion Kits
- Quiet Operation
- Battery and Hardwired Models
- Mechanical and Electrical Overrides
- Water Closet (Toilet) and Urinal Models
- Timer Model for Urinals
- Timer/Sensor Model for Urinals

Battery Powered
Sensor Activated
HYBRIDFLUSH®

Battery Powered
Timer Activated
AUTOMATIC JANITOR

Battery Powered
Timer/Sensor Activated
FLUSH GENIE®



[HSM-801-R](#)

[HSM-801-RAJ](#)

[HSM-801-RFG](#)

[HSM-801HW-R](#) Hardwired (HW)

***For American Standard Piston Valve: Add :"-AS".**

****For Sloan Gem Piston Valve: Add "-SG".**



Concealed Models

- Retrofit Conversion Kits
- Quiet Operation
- Hardwired Models
- Electrical Push Button
- Water Closet (Toilet) and Urinal Models
- Dual-Flush Model for Water Closet (Toilet)
- Concealed Plate is 4" x 4"
- Wall Box is 14" x 12"

Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®

Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®



[AEF-801-CRT](#)

[AEF-801-CRU](#)

[AEF-801-WBCRT](#)

[AEF-801-WBCRU](#)

RT = Toilet RU = Urinal



Top Mount Models

CT = Toilet CU = Urinal

Battery Powered
Sensor Activated
HYBRIDFLUSH®



Battery Powered
Sensor Activated
HYBRIDFLUSH®



Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®



Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®



[AEF-801-CT-11](#) (1.1gpf / 4.2Lpf)
[AEF-801-CT-12](#) (1.28gpf / 4.8Lpf)
[AEF-801-CT-16](#) (1.6gpf / 6.0Lpf)
[AEF-801DF-CT-16](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

[AEF-801-CU-18](#) (0.125gpf / 0.5Lpf)
[AEF-801-CU-05](#) (0.5gpf / 1.9Lpf)
[AEF-801-CU-10](#) (1.0gpf / 3.8Lpf)

[AEF-801-HWCT-11](#) (1.1gpf / 4.2Lpf)
[AEF-801-HWCT-12](#) (1.28gpf / 4.8Lpf)
[AEF-801-HWCT-16](#) (1.6gpf / 6.0Lpf)
[AEF-801DF-HWCT-16](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

[AEF-801-HWCU-18](#) (0.125gpf / 0.5Lpf)
[AEF-801-HWCU-05](#) (0.5gpf / 1.9Lpf)
[AEF-801-HWCU-10](#) (1.0gpf / 3.8Lpf)

Side Mount Models

CT = Toilet CU = Urinal

*For Hardwired: Add "-HSM-HW".

Battery Powered
Sensor Activated
HYBRIDFLUSH®



Battery Powered
Sensor Activated
HYBRIDFLUSH®



Battery Powered
Timer Activated
AUTOMATIC JANITOR



Battery Powered
Timer/Sensor Activated
FLUSH GENIE®



[HSM-801-CT-11](#) (1.1gpf / 4.2Lpf)
[HSM-801-CT-12](#) (1.28gpf / 4.8Lpf)
[HSM-801-CT-16](#) (1.6gpf / 6.0Lpf)

[HSM-801-CU-18](#) (0.125gpf / 0.5Lpf)
[HSM-801-CU-05](#) (0.5gpf / 1.9Lpf)
[HSM-801-CU-10](#) (1.0gpf / 3.8Lpf)

[HSM-801AJ-CU-18](#) (0.125gpf / 0.5Lpf)
[HSM-801AJ-CU-05](#) (0.5gpf / 1.9Lpf)
[HSM-801AJ-CU-10](#) (1.0gpf / 3.8Lpf)

[HSM-801FG-CU-18](#) (0.125gpf / 0.5Lpf)
[HSM-801FG-CU-05](#) (0.5gpf / 1.9Lpf)
[HSM-801FG-CU-10](#) (1.0gpf / 3.8Lpf)

Concealed Models

CT = Toilet CU = Urinal

Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®



Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®



Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®



Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®



[AEF-801-CCT-11](#) (1.1gpf / 4.2Lpf)
[AEF-801-CCT-12](#) (1.28gpf / 4.8Lpf)
[AEF-801-CCT-16](#) (1.6gpf / 6.0Lpf)
[AEF-801DF-CCT-16](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

[AEF-801-CCU-18](#) (0.125gpf / 0.5Lpf)
[AEF-801-CCU-05](#) (0.5gpf / 1.9Lpf)
[AEF-801-CCU-10](#) (1.0gpf / 3.8Lpf)

[AEF-801-WBCCT-11](#) (1.1gpf / 4.2Lpf)
[AEF-801-WBCCT-12](#) (1.28gpf / 4.8Lpf)
[AEF-801-WBCCT-16](#) (1.6gpf / 6.0Lpf)
[AEF-801DF-WBCCT-16](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

[AEF-801-WBCCU-18](#) (0.125gpf / 0.5Lpf)
[AEF-801-WBCCU-05](#) (0.5gpf / 1.9Lpf)
[AEF-801-WBCCU-10](#) (1.0gpf / 3.8Lpf)

Sensor Flush Valves - Accessories



PBCK
Push Button Conversion Kit



PB-C
Push Button Assembly



HC801
Cover for Flush Handle

Water Closet (Toilet) & Urinal Bowls

Commercial Bowls



Top Spud Water Closet (Toilet) and Urinal Bowls



AUT-1012
Floor Mount Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)



AUT-1012A
ADA Floor Mount Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)



AUT-1012W
Wall Hung Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)



AAU-1018-12
Half Stall Urinal
(0.125gpf - 1.0gpf)
(0.5Lpf - 3.8Lpf)



AAU-1018-14
Quarter Stall Urinal
(0.125gpf - 1.0gpf)
(0.5Lpf - 3.8Lpf)



- White Color
- Vitreous China
- Fully Glazed Trapway
- 100% Factory Tested
- Direct Feed Jet (Toilets)

Water Closet (Toilet) & Urinal Flush Valve Systems

Manual Flush Valve Systems

Exposed Water Closets (Toilets) and Urinals



MF1012T11 (1.1gpf / 4.2Lpf)
MF1012T12 (1.28gpf / 4.8Lpf)
MF1012T16 (1.6gpf / 6.0Lpf)
MF1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



MF1012AT11 (1.1gpf / 4.2Lpf)
MF1012AT12 (1.28gpf / 4.8Lpf)
MF1012AT16 (1.6gpf / 6.0Lpf)
MF1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



MF1012WT11 (1.1gpf / 4.2Lpf)
MF1012WT12 (1.28gpf / 4.8Lpf)
MF1012WT16 (1.6gpf / 6.0Lpf)
MF1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



MF101812U18 (0.125gpf / 0.5Lpf)
MF101812U05 (0.5gpf / 1.9Lpf)
MF101812U10 (1.0gpf / 3.8Lpf)



MF101814U18 (0.125gpf / 0.5Lpf)
MF101814U05 (0.5gpf / 1.9Lpf)
MF101814U10 (1.0gpf / 3.8Lpf)



Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Top Mount Sensor Flush Valve Systems



Exposed Battery Powered HYBRIDFLUSH® for Water Closets (Toilets) and Urinals



[AEF1012T11](#) (1.1gpf / 4.2Lpf)
[AEF1012T12](#) (1.28gpf / 4.8Lpf)
[AEF1012T16](#) (1.6gpf / 6.0Lpf)
[AEF1012T16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEF1012AT11](#) (1.1gpf / 4.2Lpf)
[AEF1012AT12](#) (1.28gpf / 4.8Lpf)
[AEF1012AT16](#) (1.6gpf / 6.0Lpf)
[AEF1012AT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEF1012WT11](#) (1.1gpf / 4.2Lpf)
[AEF1012WT12](#) (1.28gpf / 4.8Lpf)
[AEF1012WT16](#) (1.6gpf / 6.0Lpf)
[AEF1012WT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEF101812U18](#) (0.125gpf / 0.5Lpf)
[AEF101812U05](#) (0.5gpf / 1.9Lpf)
[AEF101812U10](#) (1.0gpf / 3.8Lpf)



[AEF101814U18](#) (0.125gpf / 0.5Lpf)
[AEF101814U05](#) (0.5gpf / 1.9Lpf)
[AEF101814U10](#) (1.0gpf / 3.8Lpf)



Exposed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals



[AEFW1012T11](#) (1.1gpf / 4.2Lpf)
[AEFW1012T12](#) (1.28gpf / 4.8Lpf)
[AEFW1012T16](#) (1.6gpf / 6.0Lpf)
[AEFW1012T16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFW1012AT11](#) (1.1gpf / 4.2Lpf)
[AEFW1012AT12](#) (1.28gpf / 4.8Lpf)
[AEFW1012AT16](#) (1.6gpf / 6.0Lpf)
[AEFW1012AT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFW1012WT11](#) (1.1gpf / 4.2Lpf)
[AEFW1012WT12](#) (1.28gpf / 4.8Lpf)
[AEFW1012WT16](#) (1.6gpf / 6.0Lpf)
[AEFW1012WT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFW101812U18](#) (0.125gpf / 0.5Lpf)
[AEFW101812U05](#) (0.5gpf / 1.9Lpf)
[AEFW101812U10](#) (1.0gpf / 3.8Lpf)



[AEFW101814U18](#) (0.125gpf / 0.5Lpf)
[AEFW101814U05](#) (0.5gpf / 1.9Lpf)
[AEFW101814U10](#) (1.0gpf / 3.8Lpf)



Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Side Mount Sensor Flush Valve Systems



Exposed Battery Powered HYBRIDFLUSH® for Water Closets (Toilets) and Urinals



[HSM1012T11](#) (1.1gpf / 4.2Lpf)
[HSM1012T12](#) (1.28gpf / 4.8Lpf)
[HSM1012T16](#) (1.6gpf / 6.0Lpf)

[HSM1012AT11](#) (1.1gpf / 4.2Lpf)
[HSM1012AT12](#) (1.28gpf / 4.8Lpf)
[HSM1012AT16](#) (1.6gpf / 6.0Lpf)

[HSM1012WT11](#) (1.1gpf / 4.2Lpf)
[HSM1012WT12](#) (1.28gpf / 4.8Lpf)
[HSM1012WT16](#) (1.6gpf / 6.0Lpf)



[HSM101812U18](#) (0.125gpf / 0.5Lpf)
[HSM101812U05](#) (0.5gpf / 1.9Lpf)
[HSM101812U10](#) (1.0gpf / 3.8Lpf)

[HSM101814U18](#) (0.125gpf / 0.5Lpf)
[HSM101814U05](#) (0.5gpf / 1.9Lpf)
[HSM101814U10](#) (1.0gpf / 3.8Lpf)

Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Side Mount Timer Flush Valve Systems

Exposed Battery Powered AUTOMATIC JANITOR and FLUSH GENIE® for Urinals



[HSM101812U18AJ](#) (0.125gpf / 0.5Lpf)
[HSM101812U05AJ](#) (0.5gpf / 1.9Lpf)
[HSM101812U10AJ](#) (1.0gpf / 3.8Lpf)

[HSM101814U18AJ](#) (0.125gpf / 0.5Lpf)
[HSM101814U05AJ](#) (0.5gpf / 1.9Lpf)
[HSM101814U10AJ](#) (1.0gpf / 3.8Lpf)

[HSM101812U18FG](#) (0.125gpf / 0.5Lpf)
[HSM101812U05FG](#) (0.5gpf / 1.9Lpf)
[HSM101812U10FG](#) (1.0gpf / 3.8Lpf)

[HSM101814U18FG](#) (0.125gpf / 0.5Lpf)
[HSM101814U05FG](#) (0.5gpf / 1.9Lpf)
[HSM101814U10FG](#) (1.0gpf / 3.8Lpf)



Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Concealed Sensor Flush Valve Systems



Concealed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals



[AEFC1012T11](#) (1.1gpf / 4.2Lpf)
[AEFC1012T12](#) (1.28gpf / 4.8Lpf)
[AEFC1012T16](#) (1.6gpf / 6.0Lpf)
[AEFC1012T16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFC1012AT11](#) (1.1gpf / 4.2Lpf)
[AEFC1012AT12](#) (1.28gpf / 4.8Lpf)
[AEFC1012AT16](#) (1.6gpf / 6.0Lpf)
[AEFC1012AT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFC1012WT11](#) (1.1gpf / 4.2Lpf)
[AEFC1012WT12](#) (1.28gpf / 4.8Lpf)
[AEFC1012WT16](#) (1.6gpf / 6.0Lpf)
[AEFC1012WT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFC101812U18](#) (0.125gpf / 0.5Lpf)
[AEFC101812U05](#) (0.5gpf / 1.9Lpf)
[AEFC101812U10](#) (1.0gpf / 3.8Lpf)



[AEFC101814U18](#) (0.125gpf / 0.5Lpf)
[AEFC101814U05](#) (0.5gpf / 1.9Lpf)
[AEFC101814U10](#) (1.0gpf / 3.8Lpf)



Wall Box Concealed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals



[AEFWB1012T11](#) (1.1gpf / 4.2Lpf)
[AEFWB1012T12](#) (1.28gpf / 4.8Lpf)
[AEFWB1012T16](#) (1.6gpf / 6.0Lpf)
[AEFWB1012T16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFWB1012AT11](#) (1.1gpf / 4.2Lpf)
[AEFWB1012AT12](#) (1.28gpf / 4.8Lpf)
[AEFWB1012AT16](#) (1.6gpf / 6.0Lpf)
[AEFWB1012AT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFWB1012WT11](#) (1.1gpf / 4.2Lpf)
[AEFWB1012WT12](#) (1.28gpf / 4.8Lpf)
[AEFWB1012WT16](#) (1.6gpf / 6.0Lpf)
[AEFWB1012WT16DF](#) (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)



[AEFWB101812U18](#) (0.125gpf / 0.5Lpf)
[AEFWB101812U05](#) (0.5gpf / 1.9Lpf)
[AEFWB101812U10](#) (1.0gpf / 3.8Lpf)



[AEFWB101814U18](#) (0.125gpf / 0.5Lpf)
[AEFWB101814U05](#) (0.5gpf / 1.9Lpf)
[AEFWB101814U10](#) (1.0gpf / 3.8Lpf)



Model/Parts Index




Part/Model #	Page
AD01	8
AD01-3	8
AD05	8
AD05-2	8
ADH-100	12
ADH-101	12
AEF1012AT11	17
AEF1012AT12	17
AEF1012AT16	17
AEF1012AT16DF	17
AEF1012T11	17
AEF1012T12	17
AEF1012T16	17
AEF1012T16DF	17
AEF1012WT11	17
AEF1012WT12	17
AEF1012WT16	17
AEF1012WT16DF	17
AEF101812U05	17
AEF101812U10	17
AEF101812U18	17
AEF101814U05	17
AEF101814U10	17
AEF101814U18	17
AEF-300	7
AEF-300FF	7
AEF-300T	7
AEF-300TFF	7
AEF-301	7
AEF-301FF	7
AEF-302	7
AEF-302HF	7
AEF-302T	7
AEF-302TFF	7
AEF-303	7
AEF-303HF	7
AEF-304	7
AEF-304FF	7
AEF-304T	7
AEF-304TFF	7
AEF-305T	7
AEF-305TFF	7
AEF-306	7
AEF-306FF	7
AEF-308	7
AEF-320	7
AEF-320HF	7
AEF-321	7
AEF-321HF	7
AEF-322	7
AEF-322HF	7
AEF-323	7
AEF-323HF	7
AEF-801-CCT-11	15
AEF-801-CCT-12	15
AEF-801-CCT-16	15
AEF-801-CRT	14
AEF-801-CRU	14
AEF-801-CT-11	15

Part/Model #	Page
AEF-801-CT-12	15
AEF-801-CT-16	15
AEF-801-CU-05	15
AEF-801-CU-10	15
AEF-801-CU-18	15
AEF-801DF-CCT-16	15
AEF-801DF-CT-16	15
AEF-801DF-HWCT-16	15
AEF-801DF-WBCCT-16	15
AEF-801-HWCT-11	15
AEF-801-HWCT-12	15
AEF-801-HWCT-16	15
AEF-801-HWCU-05	15
AEF-801-HWCU-10	15
AEF-801-HWCU-18	15
AEF-801-HWRT	14
AEF-801-HWRU	14
AEF-801-RT	14
AEF-801-RU	14
AEF-801-WBCCT-11	15
AEF-801-WBCCT-12	15
AEF-801-WBCCT-16	15
AEF-801-WBCRT	14
AEF-801-WBCRU	14
AEFC1012AT11	19
AEFC1012AT12	19
AEFC1012AT16	19
AEFC1012AT16DF	19
AEFC1012T11	19
AEFC1012T12	19
AEFC1012T16	19
AEFC1012T16DF	19
AEFC1012WT11	19
AEFC1012WT12	19
AEFC1012WT16	19
AEFC1012WT16DF	19
AEFC101812U05	19
AEFC101812U10	19
AEFC101812U18	19
AEFC101814U05	19
AEFC101814U10	19
AEFC101814U18	19
AEFHW1012AT11	17
AEFHW1012AT12	17
AEFHW1012AT16	17
AEFHW1012AT16DF	17
AEFHW1012T11	17
AEFHW1012T12	17
AEFHW1012T16	17
AEFHW1012T16DF	17
AEFHW1012WT11	17
AEFHW1012WT12	17
AEFHW1012WT16	17
AEFHW1012WT16DF	17
AEFHW101812U05	17
AEFHW101812U10	17
AEFHW101812U18	17
AEFHW101814U05	17
AEFHW101814U10	17

Part/Model #	Page
AEFHW101814U18	17
AEFWB1012AT11	19
AEFWB1012AT12	19
AEFWB1012AT16	19
AEFWB1012AT16DF	19
AEFWB1012T11	19
AEFWB1012T12	19
AEFWB1012T16	19
AEFWB1012T16DF	19
AEFWB1012WT11	19
AEFWB1012WT12	19
AEFWB1012WT16	19
AEFWB1012WT16DF	19
AEFWB101812U05	19
AEFWB101812U10	19
AEFWB101812U18	19
AEFWB101814U05	19
AEFWB101814U10	19
AEFWB101814U18	19
ASD-400	9
ASD-400EL	9
ASD-500	9
ASD-500EL	9
ASD-600	10
ASD-600EL	10
ASD-700	10
ASD-700EL	10
AUT-1012	16
AUT-1012A	16
AUT-1012W	16
AUU-1018-12	16
AUU-1018-14	16
CP4	8
CP8	8
CP8-1	8
FR500CT-4	9
FR500FF-4	9
FR500FL-4	9
FR500LL-4	9
FR500LV-4	9
FR500TP-4	9
HC801	15
HG01	8
HSM1012AT11	18
HSM1012AT12	18
HSM1012AT16	18
HSM1012T11	18
HSM1012T12	18
HSM1012T16	18
HSM1012WT11	18
HSM1012WT12	18
HSM1012WT16	18
HSM101812U05	18
HSM101812U05AJ	18
HSM101812U05FG	18
HSM101812U10	18
HSM101812U10AJ	18
HSM101812U10FG	18
HSM101812U18	18

Part/Model #	Page
HSM101812U18AJ	18
HSM101812U18FG	18
HSM101814U05	18
HSM101814U05AJ	18
HSM101814U05FG	18
HSM101814U10	18
HSM101814U10AJ	18
HSM101814U10FG	18
HSM101814U18	18
HSM101814U18AJ	18
HSM101814U18FG	18
HSM-801AJ-CU-05	18
HSM-801AJ-CU-10	18
HSM-801AJ-CU-18	18
HSM-801-CT-11	18
HSM-801-CT-12	18
HSM-801-CT-16	18
HSM-801-CU-05	18
HSM-801-CU-10	18
HSM-801-CU-18	18
HSM-801FG-CU-05	18
HSM-801FG-CU-10	18
HSM-801FG-CU-18	18
HSM-801HW-R	14
HSM-801-R	14
HSM-801-RAJ	14
HSM-801-RFG	14
MF1012AT11	16
MF1012AT12	16
MF1012AT16	16
MF1012AT16DF	16
MF1012T11	16
MF1012T12	16
MF1012T16	16
MF1012T16DF	16
MF1012WT11	16
MF1012WT12	16
MF1012WT16	16
MF1012WT16DF	16
MF101812U05	16
MF101812U10	16
MF101812U18	16
MF101814U05	16
MF101814U10	16
MF101814U18	16
MF-700-DFT16	11
MF-700-T11	11
MF-700-T12	11
MF-700-T16	11
MF-700-U05	11
MF-700-U10	11
MF-700-U18	10
MV	8
PB-C	15
PBCK	15
TMV	6



WATER CONSERVATION THROUGH INNOVATION

Advanced Modern Technologies Corporation
8367 Canoga Ave., Canoga Park, CA 91304

Tel: (818) 883-2682

Toll Free: (800) 874-7822

Fax: (818) 883-2620

Email: Sales@AmiCorporation.com

Web: www.AmiCorporation.com



AmiCorporation.com

