AMTC

ADVANCED MODERN TECHNOLOGIES CORPORATION®

WATER CONSERVATION THROUGH INNOVATION

Technology and Product Line Catalog

MICRO-CAM TECHNOLOGY

It Just Works.

Touch-Free with Reliability

How to use this Interactive Document

This document discusses our company's background, proprietary patented technology, and provides an in-depth description of the unique products we proudly offer.

This is an interactive file. Therefore, you can easily access full specification information about any product by simply clicking on the corresponding model number on each product page.

A Model/Parts Index is included in the back of this document for your reference.



Table of Contents

About AMTC ---------- 3

Sensor Operated Faucet Lines ---------- 5

Sensor Operated Faucet Technology ---------- 6

Sensor Operated Faucet Models ---------- 7

Sensor Operated Faucet Accessories ---------- 8

Sensor Operated Soap Dispensers ---------- 9

Sensor Operated Hand Sanitizer Dispensers ---------- 10

Manual Flushometers ---------- 11

Water Saving Manual Flush Handles ---------- 12

Sensor Operated Flush Valve Technology ---------- 13

Sensor Operated Flush Valve Retrofit/Conversion Kits ---------- 14

Sensor Operated Flush Valve Complete Flushometers ---------- 16

Water Closet (Toilet) & Urinal Bowls ---------- 17

Water Closet (Toilet) & Urinal Manual Flush Valve Systems ---------- 17

Water Closet (Toilet) & Urinal Top Mount Sensor Flush Valve Systems ---------- 18

Water Closet (Toilet) & Urinal Side Mount Sensor Flush Valve Systems ---------- 19

Water Closet (Toilet) & Urinal Concealed Sensor Flush Valve Systems ---------- 20

Model/Parts Index ---------- 21

About AMTC

World class product portfolio with the most innovative and best performing equipment

- AMTC is the leading innovative designer and manufacturer of high quality, reliable, and cost-effective washroom automation systems and water saving devices for the commercial washroom.
- AMTC's Patented Micro-Cam Technology for automatic sensor flush valves and faucets is the industry's most innovative and best performing technology.
- AMTC has been granted 30 U.S. and several International patents pertaining to washroom automation and water conservation products.
- AMTC's award winning products are easy to install and maintain, have a quick pay-back in water savings, and deliver on their promised performance.

Why are AMTC products the most innovative and best performing in the industry?

- AMTC's sensor flush valves and sensor faucets use proprietary Micro-Cam Technology therefore eliminating the need for solenoids – the most common point of failure in competing products.

- AMTC's HYBRIDFLUSH® top mount and side mount sensor flush valves have a true mechanical back-up - will flush when batteries are drained.

- AMTC's proprietary HYBRIDFLUSH® side mount flusher is effectively an "automatic flush handle", it does not interfere with the operation of the flushometer – a device that has been in use for over 100 years.

- AMTC's side mount flusher technology is fully programmable, leading to the development of the Automatic Janitor and Flush Genie® for urinals– products specifically designed for high traffic applications such as schools and arenas.

- AMTC's FIXEDFLO® sensor faucet system is the first High-Efficiency Faucet (HEF) system of its kind. The water flow rate is controlled internally (cannot be altered with or without an aerator due to its tamper proof mechanism).

- AMTC's HEALTHFLO® sensor faucet system is specifically designed for the healthcare environment. They are designed and engineered to limit cross contamination and the growth of pathogens.

- AMTC's products save water and provide a significant return on investment.

- AMTC's sensor products are the best available on the market. They are designed and engineered to last a lifetime.

Notable Customers:

Brookfield Properties	**Irvine Company**	**AMC Theatres**	**Disneyland**	**Crypto.com Arena**	**Universal Studios Hollywood**
Federal Government	**State Agencies**	**Local Municipalities**		**United States Military**	**School Districts & Universities**

Sensor Faucets – Faucet Lines

HYBRIDFLO®

- Engineered with AMTC's cutting-edge Micro-Cam Technology and are made of high-grade, low lead compliant solid brass, rewarding you with the rarest of experiences in **beauty, performance, and reliability**.
- Available in various flow rates.
- Ideal for all facilities.

FIXEDFLO® (FF)

- The first and only High-Efficiency Faucet (HEF) system of its kind.
- Designed specifically for facilities where water conservation is a priority. This faucet system is programmed to stream water at a **preset flow rate that cannot be externally altered**, even by the use of an aerator.
- Available in 0.35 and 0.5 gpm flow rates.
- Designed for water savings.

HEALTHFLO® (HF)

- Engineered with **anti-bacterial components** and designed for healthcare environments.
- Strict healthcare compliance.
- Incorporates AMTC's cutting-edge Micro-Cam Technology and are made of high-grade, low lead compliant solid brass and surgical stainless steel, rewarding you with the rarest of experiences in beauty, performance, and reliability.

Sensor Faucets – Unique Features

- Multiple Power Sources (Hybrid Design)
- Reliable Micro-Cam Technology
- Advanced Flow Pin Technology
- First & Only High Efficiency Faucet (HEF) in the Market for Ultimate Water Savings
- More Hygienic Environment
- Low Lead Compliant
- 5-Year Warranty

◄Table of Contents

Sensor Faucets – Micro-Cam Technology

AMTC's Patented Micro-Cam Technology is also the industry's most innovative and best performing faucet technology

Motor
Tested over 5 million cycles. Dry operation assures durability and long life.

Patented Micro-Cam Technology
All-brass gear mechanism proven to last longer than the traditional wet solenoid mechanism.



Patented Flow Pin
More reliable than a traditional diaphragm system. Designed to work under harsh water conditions.

Patented Ball Relief Valve (BRV®)
Innovative design triggers faucet with minimal parts and complexity.

Sensor Faucets - Flow Pin Technology vs. Diaphragm

Competitors' Diaphragm Technology vs. AMTC's Patented Flow Pin Technology

Competitors' Faucet Diaphragm Technology

- ✗ Wear and tear of rubber material in diaphragm leads to failure
- ✗ Diaphragms may be conducive to bacteria growth (surface area has grooves where bacteria can grow)
- ✗ Failure is expensive
- ✗ Costly replacement needed

AMTC's Patented Faucet Flow Pin Technology

- ✓ Durable stainless steel/copper material design provides durability and long life
- ✓ Stainless steel/copper material is not conducive to bacteria growth (copper has antibacterial properties)
- ✓ Successfully tested over 5 million cycles
- ✓ No replacement needed/5 Year Warranty

Sensor Faucets - Models

AEF-300
AEF300(FF)

AEF-301
AEF-301(FF)

AEF-306
AEF-306(FF)

AEF-308

AEF-302
AEF-302(HF)

AEF-303
AEF-303(HF)

AEF-304
AEF-304(FF)

AEF-305T
AEF-305T(FF)

AEF-300T
AEF-300T(FF)

AEF-302T
AEF-302T(FF)

AEF-304T
AEF-304T(FF)

AEF-320
AEF-320(HF)

AEF-321
AEF-321(HF)

AEF-322
AEF-322(HF)

AEF-323
AEF-323(HF)

◀Table of Contents

Sensor Faucets - Accessories

Alternate Power Options

HG01
Hydro-Powered Electric Generator



AD01
AC Power Plug-in Adapter
For Faucets Only



AD01-3
AC Power Plug-in Adapter
With Extension for up to 4 Faucets

Water Mixing Options

MV
Mechanical Mixing Valve

TMV
Thermostatic Mixing Valve

Cover Plate Options

CP4 Cover Plate for 4” Center Set (6.25” Long)
CP8 Cover Plate for 8” Center Set (10.25” Long)
CP8-1 Cover Plate for 8” Center Set (12.25” Extra Long)

Sensor Soap Dispensers - Accessories

Alternate Power Options



AD05
AC Power Plug-in Adapter
For Sensor Soap Dispensers Only



AD05-2
AC Power Plug-in Adapter
With Extension for 2 Devices
(For Sensor Soap Dispensers and/or Faucets)

Sensor Soap Dispensers - Models

LIQUIDFLO™
Automatic Liquid Soap Dispenser System

ASD-400
Counter Mount Automatic Liquid Soap Dispenser

ASD-400EL
Counter Mount Automatic Liquid Soap Dispenser w/Extra Long Spout

SYSTEM BENEFITS:

- **Solid brass spout designed to withstand vandalism**
- **Non-proprietary universal refillable liquid soap bottle**
- **Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.**
- **Dispenses economical non-proprietary liquid soap refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.**
- **Ideal counter mount system dispenses liquid (lotion) soap**
- **Easy to install and maintain**
- **Battery operated or AC power options**

FOAMFLO®
Automatic Foam Soap Dispenser System

ASD-500
Counter Mount Automatic Foam Soap Dispenser

ASD-500EL
Counter Mount Automatic Foam Soap Dispenser w/Extra Long Spout

SYSTEM BENEFITS:

- **Solid brass spout designed to withstand vandalism**
- **Non-proprietary universal refillable foam soap bottle**
- **Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.**
- **Dispenses economical non-proprietary foam soap refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.**
- **Ideal counter mount system dispenses rich foam soap**
- **Easy to install and maintain**
- **Battery operated or AC power options**

Sensor Soap Dispensers - FOAMFLO® Foaming Hand Soap

FOAMFLO® Bulk Foam Soap		
Picture	**Item#**	**Description**
	FR500CT-4	Foaming Hand Soap – **Citrus** Fragrance (Case includes 4-One Gallon Bottles)
	FR500FF-4	Foaming Hand Soap – **Fragrance & Dye Free** (Case includes 4-One Gallon Bottles)
	FR500FL-4	Foaming Hand Soap – **Floral** Fragrance (Case includes 4-One Gallon Bottles)
	FR500LL-4	Foaming Hand Soap – **Lilac** Fragrance (Case includes 4-One Gallon Bottles)
	FR500LV-4	Foaming Hand Soap – **Lavender** Fragrance (Case includes 4-One Gallon Bottles)
	FR500TP-4	Foaming Hand Soap – **Tropical** Fragrance (Case includes 4-One Gallon Bottles)

Hand Sanitizer Dispensers - Models

HY-GENIE™ LIQUID

Automatic Liquid Hand Sanitizer Dispenser System

ASD-600
Counter Mount Automatic Liquid Sanitizer Dispenser

ASD-600EL
Counter Mount Automatic Liquid Sanitizer Dispenser w/Extra Long Spout

SYSTEM BENEFITS:

- **Solid brass spout designed to withstand vandalism**
- **Non-proprietary universal refillable liquid sanitizer bottle**
- **Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.**
- **Dispenses economical non-proprietary liquid sanitizer refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.**
- **Ideal counter mount system dispenses liquid (gel) sanitizer**
- **Easy to install and maintain**
- **Battery operated or AC power options**

HY-GENIE™ FOAM

Automatic Foam Hand Sanitizer Dispenser System

ASD-700
Counter Mount Automatic Foam Sanitizer Dispenser

ASD-700EL
Counter Mount Automatic Foam Sanitizer Dispenser w/Extra Long Spout

SYSTEM BENEFITS:

- **Solid brass spout designed to withstand vandalism**
- **Non-proprietary universal refillable foam sanitizer bottle**
- **Eliminates the need for expensive proprietary cartridge refills, thus reducing post-consumer waste by as much as 57%.**
- **Dispenses economical non-proprietary foam sanitizer refills available on the open market. Provides savings of 80% or more versus proprietary cartridges. Return on investment (ROI) averages one (1) year.**
- **Ideal counter mount system dispenses rich foam sanitizer**
- **Easy to install and maintain**
- **Battery operated or AC power options**

Manual Flushometers

Urinal Flushometers

HEU HIGH EFFICIENCY URINAL

- Exposed Manual Flushometer for Urinals
- Highly Durable Design
- Solid Brass Construction
- Proprietary High-Performance Silicone Diaphragm
- All Components Interchangeable with Sloan® and Zurn® Repair Parts
- 5-Year Warranty

Urinal Models Available:
MF-700-U18 - 0.125 gpf (0.5 Lpf)
MF-700-U05 - 0.5 gpf (1.9 Lpf)
MF-700-U10 - 1.0 gpf (3.8 Lpf)

Toilet Flushometers

HET HIGH EFFICIENCY TOILET

- Exposed Manual Flushometer for Water Closets (Toilets)
- Highly Durable Design
- Solid Brass Construction
- Proprietary High-Performance Silicone Diaphragm
- All Components Interchangeable with Sloan® and Zurn® Repair Parts
- 5-Year Warranty

Toilet Models Available:
MF-700-T11 - 1.1 gpf (4.2 Lpf)
MF-700-T12 - 1.28 gpf (4.8 Lpf)
MF-700-T16 - 1.6 gpf (6.0 Lpf)

Dual-Flush Toilet Flushometers

HET HIGH EFFICIENCY TOILET

- Exposed **Dual-Flush** Manual Flushometer for Water Closets (Toilets)
- Smart Solution for Saving Water
- Push Handle **DOWN** for **Liquid** Waste and Pull Handle **UP** for **Solid** Waste
- **Up To 30% Water Savings**
- No Significant Behavioral Change is Necessary
- Proprietary High-Performance Silicone Diaphragm
- 5-Year Warranty

Dual-Flush Toilet Models Available:
MF-700-DFT16 - 1.6/1.1 gpf (6.0/4.2 Lpf)

Manual & Sensor Flush Valves - Silicone Diaphragm Technology

Competitors' Rubber Diaphragm Technology vs.
AMTC's High Performance Silicone Diaphragm Technology

Competitors' Permex® Rubber Diaphragm Technology

*Permex is a registered trademark of Sloan® Valve Company

- ✗ Permex® Rubber
- ✗ NOT Chloramine Resistant
- ✗ Deteriorates Rapidly/Requires Frequent Replacement

AMTC's High Performance Silicone Diaphragm Technology

- ✓ Silicone Rubber
- ✓ Chloramine Resistant
- ✓ Proven to Outlast Natural Rubber Diaphragms/Last Significantly Longer Than Rubber

Dual-Flush Manual Flush Handle for Toilets

Save Water Immediately

Model:
ADH-100

Benefits:
- **Green Solution** - Reduces Water Usage by Approx. 30%
- **No Behavioral Change Required** by Users to Start Saving Water
- Low Cost Solution to Achieve High Efficiency Standards – May Earn LEED Points
- Promotes Eco Friendly Image of Facility
- Eliminates Costly Replacement of Porcelain Fixtures
- Easily Converts Most Commercial Water Closets (Toilets) into High Efficiency Fixtures
- No Costly Professional Installation Required
- Excellent Return on Investment (ROI)

Features:
- Retrofit Handle for Water Closet (Toilets)
- Unique Patented Internal Mechanism
- Push Handle DOWN for Reduced Flush
- Pull Handle UP for Full Flush
- Universal Usage Instructions on Handle

The competition offers a Dual-flush handle that yields water savings in the opposite direction. UP for water savings = Wrong Way!

Half-Flush Manual Flush Handle for Urinals

Save Water Immediately

Model:
ADH-101

Benefits:
- **Green Solution** - Reduces Water Usage by Approx. 50%
- **No Behavioral Change Required** by Users to Start Saving Water
- Low Cost Solution to Achieve High Efficiency Standards – May Earn LEED Points
- Promotes Eco Friendly Image of Facility
- Eliminates Costly Replacement of Porcelain Fixtures
- Easily Converts Most Commercial Urinals into High Efficiency Fixtures
- No Costly Professional Installation Required
- Excellent Return on Investment (ROI)

Features:
- Retrofit Handle for Urinals
- Unique Patented Internal Mechanism
- Push Handle DOWN for Reduced Flush
- Universal Usage Instructions on Handle

The competition does not offer this product!

Sensor Flush Valves - Micro-Cam Technology

AMTC's Patented Micro-Cam Technology is the industry's most innovative and best performing automatic flusher technology

Motor
Tested over 5 million cycles. Dry operation assures durability and long life.

Proprietary Silicone Diaphragm
Chloramine resistant. Designed to outlast traditional rubber diaphragms in harsh water conditions, including recycled water or grey water systems.



Patented Micro-Cam Technology
All-brass gear mechanism proven to last longer than the traditional wet solenoid mechanism.

Patented Ball Relief Valve (BRV®)



Click Here to See How it Works!

Innovative design allows for independent automatic and manual flush triggers.

Sensor Flush Valves - Micro-Cam Technology vs. Solenoid

AMTC's Micro-Cam technology is superior to Solenoid technology

Solenoid Technology

- ✗ Electro-magnetic component in contact with water leads to corrosion
- ✗ Corrosion leads to failure
- ✗ Failure is expensive
- ✗ Fails quickly in grey water systems
- ✗ Costly replacement needed

AMTC's Micro-Cam Technology

- ✓ Brass/stainless steel motor mechanism
- ✓ Dry operation/no electro-magnetic components prevents corrosion
- ✓ Successfully tested over 5 million cycles
- ✓ Works well in grey water systems
- ✓ No replacement needed/5 Year Warranty

Introducing The Next Generation of HYBRIDFLUSH®

AEF-802 Series HYBRIDFLUSH® Top Mount



HSM-801 Series HYBRIDFLUSH® Side Mount



Sensor Flush Valves- Retrofit/Conversion Kits

Top Mount Models

- Retrofit Conversion Kits
- Quiet Operation
- Battery and Hardwired Models
- Mechanical and Electrical Overrides
- Water Closet (Toilet) and Urinal Models
- Dual-Flush Model for Water Closet (Toilet)

NO SOLENOID

MICRO-CAM TECHNOLOGY

Battery Powered
Sensor Activated
HYBRIDFLUSH®

AEF-802-RT

AEF-802-RU

Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®

AEF-802-HWRT

AEF-802-HWRU

RT = Toilet RU = Urinal

Side Mount Models

- Retrofit Conversion Kits
- Quiet Operation
- Battery and Hardwired Models
- Mechanical and Electrical Overrides
- Water Closet (Toilet) and Urinal Models
- Timer Model for Urinals
- Timer/Sensor Model for Urinals

NO SOLENOID

MICRO-CAM TECHNOLOGY

Battery Powered
Sensor Activated
HYBRIDFLUSH®

HSM-801-R

Battery Powered
Timer Activated
AUTOMATIC JANITOR

HSM-801-RAJ

Battery Powered
Timer/Sensor Activated
FLUSH GENIE®

HSM-801-RFG

HSM-801HW-R Hardwired (HW)

***For American Standard Piston Valve: Add :"-AS".**
****For Sloan Gem Piston Valve: Add "-SG".**

Concealed Models

- Retrofit Conversion Kits
- Quiet Operation
- Hardwired Models
- Electrical Push Button
- Water Closet (Toilet) and Urinal Models
- Dual-Flush Model for Water Closet (Toilet)
- Concealed Plate is 4" x 4"
- Wall Box is 14" x 12"

NO SOLENOID

MICRO-CAM TECHNOLOGY

Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®

AEF-801-CRT

AEF-801-CRU

Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®

AEF-801-WBCRT



AEF-801-WBCRU

RT = Toilet RU = Urinal

Sensor Flush Valves- Complete Exposed Flushometers

Top Mount Models

CT = Toilet CU = Urinal

Battery Powered
Sensor Activated
HYBRIDFLUSH®

AEF-802-CT-11 (1.1gpf / 4.2Lpf)
AEF-802-CT-12 (1.28gpf / 4.8Lpf)
AEF-802-CT-16 (1.6gpf / 6.0Lpf)
AEF-802DF-CT-16 (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

Battery Powered
Sensor Activated
HYBRIDFLUSH®

AEF-802-CU-18 (0.125gpf / 0.5Lpf)
AEF-802-CU-05 (0.5gpf / 1.9Lpf)
AEF-802-CU-10 (1.0gpf / 3.8Lpf)

Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®

AEF-802-HWCT-11 (1.1gpf / 4.2Lpf)
AEF-802-HWCT-12 (1.28gpf / 4.8Lpf)
AEF-802-HWCT-16 (1.6gpf / 6.0Lpf)
AEF-802DF-HWCT-16 (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

Hardwired (HW)
Sensor Activated
HYBRIDFLUSH®

AEF-802-HWCU-18 (0.125gpf / 0.5Lpf)
AEF-802-HWCU-05 (0.5gpf / 1.9Lpf)
AEF-802-HWCU-10 (1.0gpf / 3.8Lpf)

Side Mount Models

CT = Toilet CU = Urinal

***For Hardwired: Add "-HSM-HW".**

Battery Powered
Sensor Activated
HYBRIDFLUSH®

HSM-801-CT-11 (1.1gpf / 4.2Lpf)
HSM-801-CT-12 (1.28gpf / 4.8Lpf)
HSM-801-CT-16 (1.6gpf / 6.0Lpf)

Battery Powered
Sensor Activated
HYBRIDFLUSH®

HSM-801-CU-18 (0.125gpf / 0.5Lpf)
HSM-801-CU-05 (0.5gpf / 1.9Lpf)
HSM-801-CU-10 (1.0gpf / 3.8Lpf)

Battery Powered
Timer Activated
AUTOMATIC JANITOR

HSM-801AJ-CU-18 (0.125gpf / 0.5Lpf)
HSM-801AJ-CU-05 (0.5gpf / 1.9Lpf)
HSM-801AJ-CU-10 (1.0gpf / 3.8Lpf)

Battery Powered
Timer/Sensor Activated
FLUSH GENIE®

HSM-801FG-CU-18 (0.125gpf / 0.5Lpf)
HSM-801FG-CU-05 (0.5gpf / 1.9Lpf)
HSM-801FG-CU-10 (1.0gpf / 3.8Lpf)

Concealed Models

CT = Toilet CU = Urinal

Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®

AEF-801-CCT-11 (1.1gpf / 4.2Lpf)
AEF-801-CCT-12 (1.28gpf / 4.8Lpf)
AEF-801-CCT-16 (1.6gpf / 6.0Lpf)
AEF-801DF-CCT-16 (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

Hardwired Concealed
Sensor Activated
HYBRIDFLUSH®

AEF-801-CCU-18 (0.125gpf / 0.5Lpf)
AEF-801-CCU-05 (0.5gpf / 1.9Lpf)
AEF-801-CCU-10 (1.0gpf / 3.8Lpf)

Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®

AEF-801-WBCCT-11 (1.1gpf / 4.2Lpf)
AEF-801-WBCCT-12 (1.28gpf / 4.8Lpf)
AEF-801-WBCCT-16 (1.6gpf / 6.0Lpf)
AEF-801DF-WBCCT-16 (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

Hardwired Wall Box
Sensor Activated
HYBRIDFLUSH®

AEF-801-WBCCU-18 (0.125gpf / 0.5Lpf)
AEF-801-WBCCU-05 (0.5gpf / 1.9Lpf)
AEF-801-WBCCU-10 (1.0gpf / 3.8Lpf)

Sensor Flush Valves - Accessories

PBCK
Push Button Conversion Kit

PB-C
Push Button Assembly

HC801
Cover for Flush Handle

◄Table of Contents

Water Closet (Toilet) & Urinal Bowls

Commercial Bowls

Top Spud Water Closet (Toilet) and Urinal Bowls

AUT-1012
Floor Mount Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)

AUT-1012A
ADA Floor Mount Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)

AUT-1012W
Wall Hung Toilet
(1.1gpf - 1.6gpf)
(4.2Lpf - 6.0Lpf)

AUU-1018-12
Half Stall Urinal
(0.125gpf - 1.0gpf)
(0.5Lpf – 3.8Lpf)

AUU-1018-14
Quarter Stall Urinal
(0.125gpf - 1.0gpf)
(0.5Lpf – 3.8Lpf)

- White Color
- Vitreous China
- Fully Glazed Trapway
- 100% Factory Tested
- Direct Feed Jet (Toilets)

Water Closet (Toilet) & Urinal Flush Valve Systems

Manual Flush Valve Systems

Exposed Water Closets (Toilets) and Urinals

MF1012T11 (1.1gpf / 4.2Lpf)
MF1012T12 (1.28gpf / 4.8Lpf)
MF1012T16 (1.6gpf / 6.0Lpf)
MF1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

MF1012AT11 (1.1gpf / 4.2Lpf)
MF1012AT12 (1.28gpf / 4.8Lpf)
MF1012AT16 (1.6gpf / 6.0Lpf)
MF1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

MF1012WT11 (1.1gpf / 4.2Lpf)
MF1012WT12 (1.28gpf / 4.8Lpf)
MF1012WT16 (1.6gpf / 6.0Lpf)
MF1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

MF101812U18 (0.125gpf / 0.5Lpf)
MF101812U05 (0.5gpf / 1.9Lpf)
MF101812U10 (1.0gpf / 3.8Lpf)

MF101814U18 (0.125gpf / 0.5Lpf)
MF101814U05 (0.5gpf / 1.9Lpf)
MF101814U10 (1.0gpf / 3.8Lpf)

◄Table of Contents

Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Top Mount Sensor Flush Valve Systems

Exposed Battery Powered HYBRIDFLUSH® for Water Closets (Toilets) and Urinals

AEF1012T11 (1.1gpf / 4.2Lpf)
AEF1012T12 (1.28gpf / 4.8Lpf)
AEF1012T16 (1.6gpf / 6.0Lpf)
AEF1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEF1012AT11 (1.1gpf / 4.2Lpf)
AEF1012AT12 (1.28gpf / 4.8Lpf)
AEF1012AT16 (1.6gpf / 6.0Lpf)
AEF1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEF1012WT11 (1.1gpf / 4.2Lpf)
AEF1012WT12 (1.28gpf / 4.8Lpf)
AEF1012WT16 (1.6gpf / 6.0Lpf)
AEF1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEF101812U18 (0.125gpf / 0.5Lpf)
AEF101812U05 (0.5gpf / 1.9Lpf)
AEF101812U10 (1.0gpf / 3.8Lpf)

AEF101814U18 (0.125gpf / 0.5Lpf)
AEF101814U05 (0.5gpf / 1.9Lpf)
AEF101814U10 (1.0gpf / 3.8Lpf)

NO SOLENOID

MICRO-CAM TECHNOLOGY

Exposed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals

AEFHW1012T11 (1.1gpf / 4.2Lpf)
AEFHW1012T12 (1.28gpf / 4.8Lpf)
AEFHW1012T16 (1.6gpf / 6.0Lpf)
AEFHW1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFHW1012AT11 (1.1gpf / 4.2Lpf)
AEFHW1012AT12 (1.28gpf / 4.8Lpf)
AEFHW1012AT16 (1.6gpf / 6.0Lpf)
AEFHW1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFHW1012WT11 (1.1gpf / 4.2Lpf)
AEFHW1012WT12 (1.28gpf / 4.8Lpf)
AEFHW1012WT16 (1.6gpf / 6.0Lpf)
AEFHW1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFHW101812U18 (0.125gpf / 0.5Lpf)
AEFHW101812U05 (0.5gpf / 1.9Lpf)
AEFHW101812U10 (1.0gpf / 3.8Lpf)

AEFHW101814U18 (0.125gpf / 0.5Lpf)
AEFHW101814U05 (0.5gpf / 1.9Lpf)
AEFHW101814U10 (1.0gpf / 3.8Lpf)

NO SOLENOID

MICRO-CAM TECHNOLOGY

Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Side Mount Sensor Flush Valve Systems

Exposed Battery Powered HYBRIDFLUSH® for Water Closets (Toilets) and Urinals

HSM1012T11 (1.1gpf / 4.2Lpf)
HSM1012T12 (1.28gpf / 4.8Lpf)
HSM1012T16 (1.6gpf / 6.0Lpf)

HSM1012AT11 (1.1gpf / 4.2Lpf)
HSM1012AT12 (1.28gpf / 4.8Lpf)
HSM1012AT16 (1.6gpf / 6.0Lpf)

HSM1012WT11 (1.1gpf / 4.2Lpf)
HSM1012WT12 (1.28gpf / 4.8Lpf)
HSM1012WT16 (1.6gpf / 6.0Lpf)

HSM101812U18 (0.125gpf / 0.5Lpf)
HSM101812U05 (0.5gpf / 1.9Lpf)
HSM101812U10 (1.0gpf / 3.8Lpf)

HSM101814U18 (0.125gpf / 0.5Lpf)
HSM101814U05 (0.5gpf / 1.9Lpf)
HSM101814U10 (1.0gpf / 3.8Lpf)

NO SOLENOID

MICRO-CAM TECHNOLOGY

Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Side Mount Timer Flush Valve Systems

Exposed Battery Powered AUTOMATIC JANITOR and FLUSH GENIE® for Urinals

HSM101812U18AJ (0.125gpf / 0.5Lpf)
HSM101812U05AJ (0.5gpf / 1.9Lpf)
HSM101812U10AJ (1.0gpf / 3.8Lpf)

HSM101814U18AJ (0.125gpf / 0.5Lpf)
HSM101814U05AJ (0.5gpf / 1.9Lpf)
HSM101814U10AJ (1.0gpf / 3.8Lpf)

HSM101812U18FG (0.125gpf / 0.5Lpf)
HSM101812U05FG (0.5gpf / 1.9Lpf)
HSM101812U10FG (1.0gpf / 3.8Lpf)

HSM101814U18FG (0.125gpf / 0.5Lpf)
HSM101814U05FG (0.5gpf / 1.9Lpf)
HSM101814U10FG (1.0gpf / 3.8Lpf)

NO SOLENOID

MICRO-CAM TECHNOLOGY

Water Closet (Toilet) & Urinal Flush Valve Systems

Electronic Concealed Sensor Flush Valve Systems

Concealed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals

AEFC1012T11 (1.1gpf / 4.2Lpf)
AEFC1012T12 (1.28gpf / 4.8Lpf)
AEFC1012T16 (1.6gpf / 6.0Lpf)
AEFC1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFC1012AT11 (1.1gpf / 4.2Lpf)
AEFC1012AT12 (1.28gpf / 4.8Lpf)
AEFC1012AT16 (1.6gpf / 6.0Lpf)
AEFC1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFC1012WT11 (1.1gpf / 4.2Lpf)
AEFC1012WT12 (1.28gpf / 4.8Lpf)
AEFC1012WT16 (1.6gpf / 6.0Lpf)
AEFC1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFC101812U18 (0.125gpf / 0.5Lpf)
AEFC101812U05 (0.5gpf / 1.9Lpf)
AEFC101812U10 (1.0gpf / 3.8Lpf)

AEFC101814U18 (0.125gpf / 0.5Lpf)
AEFC101814U05 (0.5gpf / 1.9Lpf)
AEFC101814U10 (1.0gpf / 3.8Lpf)

Wall Box Concealed Hardwired HYBRIDFLUSH® for Water Closets (Toilets) and Urinals

AEFWB1012T11 (1.1gpf / 4.2Lpf)
AEFWB1012T12 (1.28gpf / 4.8Lpf)
AEFWB1012T16 (1.6gpf / 6.0Lpf)
AEFWB1012T16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFWB1012AT11 (1.1gpf / 4.2Lpf)
AEFWB1012AT12 (1.28gpf / 4.8Lpf)
AEFWB1012AT16 (1.6gpf / 6.0Lpf)
AEFWB1012AT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFWB1012WT11 (1.1gpf / 4.2Lpf)
AEFWB1012WT12 (1.28gpf / 4.8Lpf)
AEFWB1012WT16 (1.6gpf / 6.0Lpf)
AEFWB1012WT16DF (1.1gpf-1.6gpf / 4.2Lpf-6.0Lpf)

AEFWB101812U18 (0.125gpf / 0.5Lpf)
AEFWB101812U05 (0.5gpf / 1.9Lpf)
AEFWB101812U10 (1.0gpf / 3.8Lpf)

AEFWB101814U18 (0.125gpf / 0.5Lpf)
AEFWB101814U05 (0.5gpf / 1.9Lpf)
AEFWB101814U10 (1.0gpf / 3.8Lpf)

Model/Parts Index

Part/Model #	Page
AD01	8
AD01-3	8
AD05	8
AD05-2	8
ADH-100	12
ADH-101	12
AEF1012AT11	18
AEF1012AT12	18
AEF1012AT16	18
AEF1012AT16DF	18
AEF1012T11	18
AEF1012T12	18
AEF1012T16	18
AEF1012T16DF	18
AEF1012WT11	18
AEF1012WT12	18
AEF1012WT16	18
AEF1012WT16DF	18
AEF101812U05	18
AEF101812U10	18
AEF101812U18	18
AEF101814U05	18
AEF101814U10	18
AEF101814U18	18
AEF-300	7
AEF-300FF	7
AEF-300T	7
AEF-300TFF	7
AEF-301	7
AEF-301FF	7
AEF-302	7
AEF-302HF	7
AEF-302T	7
AEF-302TFF	7
AEF-303	7
AEF-303HF	7
AEF-304	7
AEF-304FF	7
AEF-304T	7
AEF-304TFF	7
AEF-305T	7
AEF-305TFF	7
AEF-306	7
AEF-306FF	7
AEF-308	7
AEF-320	7
AEF-320HF	7
AEF-321	7
AEF-321HF	7
AEF-322	7
AEF-322HF	7
AEF-323	7
AEF-323HF	7
AEF-801-CCT-11	16
AEF-801-CCT-12	16
AEF-801-CCT-16	16
AEF-801-CRT	15
AEF-801-CRU	15
AEF-802-CT-11	16

Part/Model #	Page
AEF-802-CT-12	16
AEF-802-CT-16	16
AEF-802-CU-05	16
AEF-802-CU-10	16
AEF-802-CU-18	16
AEF-801DF-CCT-16	16
AEF-802DF-CT-16	16
AEF-802DF-HWCT-16	16
AEF-801DF-WBCCT-16	16
AEF-802-HWCT-11	16
AEF-802-HWCT-12	16
AEF-802-HWCT-16	16
AEF-802-HWCU-05	16
AEF-802-HWCU-10	16
AEF-802-HWCU-18	16
AEF-802-HWRT	15
AEF-802-HWRU	15
AEF-802-RT	15
AEF-802-RU	15
AEF-801-WBCCT-11	16
AEF-801-WBCCT-12	16
AEF-801-WBCCT-16	16
AEF-801-WBCRT	15
AEF-801-WBCRU	15
AEFC1012AT11	20
AEFC1012AT12	20
AEFC1012AT16	20
AEFC1012AT16DF	20
AEFC1012T11	20
AEFC1012T12	20
AEFC1012T16	20
AEFC1012T16DF	20
AEFC1012WT11	20
AEFC1012WT12	20
AEFC1012WT16	20
AEFC1012WT16DF	20
AEFC101812U05	20
AEFC101812U10	20
AEFC101812U18	20
AEFC101814U05	20
AEFC101814U10	20
AEFC101814U18	20
AEFHW1012AT11	18
AEFHW1012AT12	18
AEFHW1012AT16	18
AEFHW1012AT16DF	18
AEFHW1012T11	18
AEFHW1012T12	18
AEFHW1012T16	18
AEFHW1012T16DF	18
AEFHW1012WT11	18
AEFHW1012WT12	18
AEFHW1012WT16	18
AEFHW1012WT16DF	18
AEFHW101812U05	18
AEFHW101812U10	18
AEFHW101812U18	18
AEFHW101814U05	18
AEFHW101814U10	18

Part/Model #	Page
AEFHW101814U18	18
AEFWB1012AT11	20
AEFWB1012AT12	20
AEFWB1012AT16	20
AEFWB1012AT16DF	20
AEFWB1012T11	20
AEFWB1012T12	20
AEFWB1012T16	20
AEFWB1012T16DF	20
AEFWB1012WT11	20
AEFWB1012WT12	20
AEFWB1012WT16	20
AEFWB1012WT16DF	20
AEFWB101812U05	20
AEFWB101812U10	20
AEFWB101812U18	20
AEFWB101814U05	20
AEFWB101814U10	20
AEFWB101814U18	20
ASD-400	9
ASD-400EL	9
ASD-500	9
ASD-500EL	9
ASD-600	10
ASD-600EL	10
ASD-700	10
ASD-700EL	10
AUT-1012	17
AUT-1012A	17
AUT-1012W	17
AUU-1018-12	17
AUU-1018-14	17
CP4	8
CP8	8
CP8-1	8
FR500CT-4	9
FR500FF-4	9
FR500FL-4	9
FR500LL-4	9
FR500LV-4	9
FR500TP-4	9
HC801	16
HG01	8
HSM1012AT11	19
HSM1012AT12	19
HSM1012AT16	19
HSM1012T11	19
HSM1012T12	19
HSM1012T16	19
HSM1012WT11	19
HSM1012WT12	19
HSM1012WT16	19
HSM101812U05	19
HSM101812U05AJ	19
HSM101812U05FG	19
HSM101812U10	19
HSM101812U10AJ	19
HSM101812U10FG	19
HSM101812U18	19

Part/Model #	Page
HSM101812U18AJ	19
HSM101812U18FG	19
HSM101814U05	19
HSM101814U05AJ	19
HSM101814U05FG	19
HSM101814U10	19
HSM101814U10AJ	19
HSM101814U10FG	19
HSM101814U18	19
HSM101814U18AJ	19
HSM101814U18FG	19
HSM-801AJ-CU-05	19
HSM-801AJ-CU-10	19
HSM-801AJ-CU-18	19
HSM-801-CT-11	19
HSM-801-CT-12	19
HSM-801-CT-16	19
HSM-801-CU-05	19
HSM-801-CU-10	19
HSM-801-CU-18	19
HSM-801FG-CU-05	19
HSM-801FG-CU-10	19
HSM-801FG-CU-18	19
HSM-801HW-R	15
HSM-801-R	15
HSM-801-RAJ	15
HSM-801-RFG	15
MF1012AT11	17
MF1012AT12	17
MF1012AT16	17
MF1012AT16DF	17
MF1012T11	17
MF1012T12	17
MF1012T16	17
MF1012T16DF	17
MF1012WT11	17
MF1012WT12	17
MF1012WT16	17
MF1012WT16DF	17
MF101812U05	17
MF101812U10	17
MF101812U18	17
MF101814U05	17
MF101814U10	17
MF101814U18	17
MF-700-DFT16	11
MF-700-T11	11
MF-700-T12	11
MF-700-T16	11
MF-700-U05	11
MF-700-U10	11
MF-700-U18	11
MV	8
PB-C	16
PBCK	16
TMV	8

AMTC

ADVANCED MODERN TECHNOLOGIES CORPORATION®

WATER CONSERVATION THROUGH INNOVATION

Advanced Modern Technologies Corporation (AMTC)
8367 Canoga Ave., Canoga Park, CA 91304

Tel: (818) 883-2682

Toll Free: (800) 874-7822

Fax: (818) 883-2620

Email: Sales@AmtCorporation.com

Web: www.AmtCorporation.com

AmtCorporation.com

EPA WaterSense PARTNER

U.S. GREEN BUILDING COUNCIL MEMBER

©2025 Advanced Modern Technologies Corporation (AMTC). All Rights Reserved.